

Glashütte, January 2013

Precious in every respect: Saxonia Automatic

The diamond-studded SAXONIA AUTOMATIC in a case made of solid white or pink gold coalesces the genius of watchmakers with the virtuosity of gemsetters.



Timeless elegance: SAXONIA AUTOMATIC in white gold

Elaborate mechanical watches no longer appeal only to men. More and more women expect finesse to embrace the inside of a watch as well. For them, A. Lange & Söhne time-pieces are surely the preferred choice because they combine the best of both worlds: supreme craftsmanship and timeless elegance. This also applies to the new jewelled version of the SAXONIA AUTOMATIC. For this ladies' watch, the main objective of the product developers at the eminent Saxon manufactory was to create a perfect symbiosis of engineering, artisanship, and design.

Like all members of the elegant SAXONIA watch family, the SAXONIA AUTOMATIC reflects a style that is at once classic and contemporary. Its clearly configured solid-silver dial is



framed by a bezel set with 76 brilliant-cut diamonds. Both elements gracefully complement the case in white or pink gold.

The watch owes its eloquent proportions to a calibre which is only 3.7 millimetres high; it is the thinnest self-winding movement made so far by the master watchmakers of A. Lange & Söhne. A central rotor with ball bearings and a platinum centrifugal mass delivers ample winding power. The maximum power reserve of three days is built up after only a short time on the wrist. The ultimate in mechanical precision and superb craftsmanship endow the movement with the sublime quality that fully befits the sparkling outward appearance of the watch.

About A. Lange & Söhne

When Ferdinand A. Lange, a Dresden watchmaker, established his watch manufactory in 1845, he laid the cornerstone of Saxony's precision watchmaking. His precious pocket watches remain highly coveted among collectors all over the world. The company was expropriated after World War II, and the name A. Lange & Söhne nearly fell into oblivion. In 1990, Ferdinand A. Lange's great-grandson Walter Lange had the courage to relaunch the brand. Today, Lange crafts only a few thousand wristwatches in gold or platinum per year. They are endowed exclusively with proprietary movements that are lavishly decorated and assembled by hand. In a period of little more than 20 years, A. Lange & Söhne developed over 40 manufacture calibres and secured a top-tier position among the world's finest watch brands. Its greatest successes include innovative time-keeping instruments such as the LANGE 1 with the first outsize date in a series produced wristwatch as well as the LANGE ZEITWERK with its supremely legible, precisely jumping numerals. Meanwhile, both models have become icons of a brand rich in tradition.

Contact information for the media Arnd Einhorn, Director Press and PR

Tel.: +49 (0)35053 44 5505 E-mail: presse@lange-soehne.com



the most exacting Lange quality standards, decorated a assembled by hand; precision-adjusted in five positions plates made of untreated German silver; balance cock engraved by hand Movement parts 209 Jewels 31 Escapement Lever escapement Shock-resistant screw balance; superior-quality balance spring manufactured in-house, frequency 21,600 semi-oscillations per hour, precision beat adjustment system lateral setscrew and whiplash spring Power reserve 72 hours when fully wound Functions Time in hours and minutes, subsidiary seconds with sto seconds Operating elements Crown for winding the watch and setting the time Case dimensions Diameter: 38.5 millimetres; height: 8.3 millimetres Movement dimensions Diameter: 30.4 millimetres; height: 3.7 millimetres Crystal and caseback Sapphire crystal (hardness 9) References 842.026 840.032 Case White gold Pink gold Bezel Set with 76 brilliant-cut diamonds, Top Wesselton VVS approx. 0.7 ct. Dial Solid silver, argenté Hands and appliques Rhodiumed gold Pink gold Pink gold Pink gold Strap Hand-stitched crocodile strap, black red-brown Buckle Lange prong buckle Lange prong buckle	SAXONIA AUTOMATIC with	diamonds		
Jewels 31 Escapement Lever escapement Oscillator Shock-resistant screw balance; superior-quality balance spring manufactured in-house, frequency 21,600 semi-oscillations per hour, precision beat adjustment system lateral setscrew and whiplash spring Power reserve 72 hours when fully wound Functions Time in hours and minutes, subsidiary seconds with state seconds Operating elements Crown for winding the watch and setting the time Case dimensions Diameter: 38.5 millimetres; height: 8.3 millimetres Movement dimensions Diameter: 30.4 millimetres; height: 3.7 millimetres Crystal and caseback Sapphire crystal (hardness 9) References 842.026 840.032 Case White gold Pink gold Bezel Set with 76 brilliant-cut diamonds, Top Wesselton VVS approx. 0.7 ct. Dial Solid silver, argenté Hands and appliques Rhodiumed gold Pink gold Strap Hand-stitched crocodile strap, black red-brown Buckle Lange prong buckle Lange prong buckle	Movement	the most exacting Lange assembled by hand; preciplates made of untreated	1.	
Escapement Lever escapement Shock-resistant screw balance; superior-quality balance spring manufactured in-house, frequency 21,600 semi-oscillations per hour, precision beat adjustment system lateral setscrew and whiplash spring Power reserve 72 hours when fully wound Functions Time in hours and minutes, subsidiary seconds with sto seconds Operating elements Crown for winding the watch and setting the time Case dimensions Diameter: 38.5 millimetres; height: 8.3 millimetres Movement dimensions Diameter: 30.4 millimetres; height: 3.7 millimetres Crystal and caseback Sapphire crystal (hardness 9) References 842.026 840.032 Case White gold Pink gold Bezel Set with 76 brilliant-cut diamonds, Top Wesselton VVS approx. 0.7 ct. Dial Solid silver, argenté Hands and appliques Rhodiumed gold Pink gold Strap Hand-stitched crocodile stratched crocodile stratched strap, black Lange prong buckle Lange prong buckle	Movement parts	209	209	
Shock-resistant screw balance; superior-quality balance spring manufactured in-house, frequency 21,600 semi-oscillations per hour, precision beat adjustment system lateral setscrew and whiplash spring Power reserve 72 hours when fully wound Functions Time in hours and minutes, subsidiary seconds with sto seconds Operating elements Crown for winding the watch and setting the time Case dimensions Diameter: 38.5 millimetres; height: 8.3 millimetres Movement dimensions Diameter: 30.4 millimetres; height: 3.7 millimetres Crystal and caseback Sapphire crystal (hardness 9) References 842.026 840.032 Case White gold Pink gold Bezel Set with 76 brilliant-cut diamonds, Top Wesselton VVS approx. 0.7 ct. Dial Solid silver, argenté Hands and appliques Rhodiumed gold Pink gold Strap Hand-stitched crocodile strap, black red-brown Buckle Lange prong buckle Lange prong buckle	Jewels	31	31	
spring manufactured in-house, frequency 21,600 semi- oscillations per hour, precision beat adjustment system lateral setscrew and whiplash spring Power reserve 72 hours when fully wound Functions Time in hours and minutes, subsidiary seconds with sto seconds Operating elements Crown for winding the watch and setting the time Case dimensions Diameter: 38.5 millimetres; height: 8.3 millimetres Movement dimensions Diameter: 30.4 millimetres; height: 3.7 millimetres Crystal and caseback Sapphire crystal (hardness 9) References 842.026 840.032 Case White gold Pink gold Bezel Set with 76 brilliant-cut diamonds, Top Wesselton VVS approx. 0.7 ct. Dial Solid silver, argenté Hands and appliques Rhodiumed gold Pink gold Strap Hand-stitched crocodile strap, black red-brown Buckle Lange prong buckle Lange prong buckle	Escapement	Lever escapement	Lever escapement	
Functions Time in hours and minutes, subsidiary seconds with store seconds Crown for winding the watch and setting the time Case dimensions Diameter: 38.5 millimetres; height: 8.3 millimetres Movement dimensions Diameter: 30.4 millimetres; height: 3.7 millimetres Crystal and caseback Sapphire crystal (hardness 9) References 842.026 840.032 Case White gold Pink gold Bezel Set with 76 brilliant-cut diamonds, Top Wesselton VVS approx. 0.7 ct. Dial Solid silver, argenté Hands and appliques Rhodiumed gold Pink gold Strap Hand-stitched crocodile strap, black Lange prong buckle Lange prong buckle	Oscillator	spring manufactured in-hooscillations per hour, pred	Shock-resistant screw balance; superior-quality balance spring manufactured in-house, frequency 21,600 semi-oscillations per hour, precision beat adjustment system with lateral setscrew and whiplash spring	
Seconds Crown for winding the watch and setting the time Case dimensions Diameter: 38.5 millimetres; height: 8.3 millimetres Movement dimensions Diameter: 30.4 millimetres; height: 3.7 millimetres Crystal and caseback Sapphire crystal (hardness 9) References 842.026 840.032 Case White gold Pink gold Bezel Set with 76 brilliant-cut diamonds, Top Wesselton VVS approx. 0.7 ct. Dial Solid silver, argenté Hands and appliques Rhodiumed gold Pink gold Pink gold Strap Hand-stitched crocodile targe tred-brown Buckle Lange prong buckle Lange prong buckle	Power reserve	72 hours when fully woun	72 hours when fully wound	
Case dimensions Diameter: 38.5 millimetres; height: 8.3 millimetres Movement dimensions Diameter: 30.4 millimetres; height: 3.7 millimetres Crystal and caseback Sapphire crystal (hardness 9) References 842.026 840.032 Case White gold Pink gold Bezel Set with 76 brilliant-cut diamonds, Top Wesselton VVS approx. 0.7 ct. Dial Solid silver, argenté Hands and appliques Rhodiumed gold Pink gold Pink gold Strap Hand-stitched crocodile strap, black Lange prong buckle Lange prong buckle	Functions		Time in hours and minutes, subsidiary seconds with stop seconds	
Movement dimensions Diameter: 30.4 millimetres; height: 3.7 millimetres Crystal and caseback Sapphire crystal (hardness 9) References 842.026 White gold Pink gold Bezel Set with 76 brilliant-cut diamonds, Top Wesselton VVS approx. 0.7 ct. Dial Solid silver, argenté Hands and appliques Rhodiumed gold Pink gold Pink gold Pink gold Hand-stitched crocodile strap, black Buckle Lange prong buckle Lange prong buckle	Operating elements	Crown for winding the wa	Crown for winding the watch and setting the time	
Crystal and caseback Sapphire crystal (hardness 9) References 842.026 840.032 Case White gold Pink gold Bezel Set with 76 brilliant-cut diamonds, Top Wesselton VVS approx. 0.7 ct. Dial Solid silver, argenté Hands and appliques Rhodiumed gold Pink gold Pink gold Pink gold Strap Hand-stitched crocodile strap, black Buckle Lange prong buckle Lange prong buckle	Case dimensions	Diameter: 38.5 millimetres	Diameter: 38.5 millimetres; height: 8.3 millimetres	
References 842.026 840.032 Case White gold Pink gold Bezel Set with 76 brilliant-cut diamonds, Top Wesselton VVS approx. 0.7 ct. Dial Solid silver, argenté Hands and appliques Rhodiumed gold Pink gold Pink gold Pink gold Strap Hand-stitched crocodile strap, black Buckle Lange prong buckle Lange prong buckle	Movement dimensions	Diameter: 30.4 millimetres	Diameter: 30.4 millimetres; height: 3.7 millimetres	
Case White gold Pink gold Bezel Set with 76 brilliant-cut diamonds, Top Wesselton VVS approx. 0.7 ct. Dial Solid silver, argenté Hands and appliques Rhodiumed gold Pink gold Strap Hand-stitched crocodile strap, black red-brown Buckle Lange prong buckle Lange prong buckle	Crystal and caseback	Sapphire crystal (hardnes	Sapphire crystal (hardness 9)	
Bezel Set with 76 brilliant-cut diamonds, Top Wesselton VVS approx. 0.7 ct. Dial Solid silver, argenté Hands and appliques Rhodiumed gold Pink gold Strap Hand-stitched crocodile strap, black Buckle Lange prong buckle Lange prong buckle	References	842.026	840.032	
approx. 0.7 ct. Dial Solid silver, argenté Hands and appliques Rhodiumed gold Pink gold Strap Hand-stitched crocodile strap, black red-brown Buckle Lange prong buckle Lange prong buckle	Case	White gold	Pink gold	
Hands and appliques Rhodiumed gold Pink gold Strap Hand-stitched crocodile strap, black Buckle Lange prong buckle Lange prong buckle	Bezel		Set with 76 brilliant-cut diamonds, Top Wesselton VVS1, approx. 0.7 ct.	
Strap Hand-stitched crocodile strap, black red-brown Buckle Lange prong buckle Lange prong buckle	Dial	Solid silver, argenté	Solid silver, argenté	
strap, black red-brown Buckle Lange prong buckle Lange prong buckle	Hands and appliques	Rhodiumed gold	Pink gold	
	Strap		Hand-stitched crocodile strap, red-brown	
III writte gold	Buckle	Lange prong buckle in white gold	Lange prong buckle in pink gold	