## DRESSAGE L'heure masquée



time appears in its full immensity, opening up infinite vistas of individual freedom and affording a permanent opportunity to make the "great escape" and to seize only the moments that truly count.

With the Dressage L'heure masquée watch,



Photo Maud Remy-Lonvis

The mischievous hour hand remains hidden beneath the constantly moving minute hand, solely deigning to appear at a deliberate press on a crown-integrated pushbutton. This fleeting apparition captures exclusively the moment in hand and vanishes as soon as the pressure is released—as too does the dual-time window display caught up in the same game of hide and seek. This playful stage-setting is orchestrated by the ingenious interaction of the rack, pinion and gear trains. When stimulated, the hour cam releases from its hiding place the hand that dutifully appears to perform its role of pointing to the correct hour on the dial. The dual-time indication is directly driven by the base movement and adjustable via the pushbutton opposite the crown.

In this entirely Manufacture-made composition, self-winding Calibre H1925 is equipped with an exclusive patented mechanism enabling it to play this uniquely personal musical score.











## TECHNICAL CHARACTERISTICS

CASE

	_
	movement H1925
Power Reserve	45 hours
Jewelling	28 jewels
Frequency	28'800 vibrations per hour / 4Hz
Decoration	Circular-grained and snailed
	mainplate, satin-brushed bridges
	and oscillating weight adorned with
	the special Hermès decoration
	(H symbols)
Diameter	26 mm (11 ½''')
Thickness	3.7 mm
Functions	Hours, minutes, GMT, «time veiled»
	function, push-button integrated to
	the crown serving to unveil the hour
	hand and the GMT window,
	pushpiece at 9 o'clock serving to set

Hermès mechanical self-winding

MOVEMENT

Type

MECHANISM	"Time veiled" mechanism
Diameter	32.5 mm
Thickness	2.7 mm
Jewelling	18 jewels
Components	95

the GMT

Material	5N 750 rose gold (≈ 85 g)
Crystal	Glare proof sapphire crystal and case-back
Inter-horn width	21 mm
Water-resistance	To 5 atm
DIAL	Opaline silvered dial with vertical central guilloché motif, 4N-gilded stamped Arabic numerals, 4N-gilded diamond-polished hour-marker at 6 o'clock, 4N-gilded hands coated with

Shape/dimensions Cushion-shaped, 40.5 x 38.4 mm

	Superluminova	
BUCKLE	17 mm safety folding clasp in 5N 750 rose gold (≈ 24.87 g)	
STRAP	Matt havana alligator	
EDITION	Limited to 500 pieces	

REFERENCES	040645WW00
	DR5.870.221/MHA





Jewelling

Components

18 jewels

95



DR5.810.220/MHA

## TECHNICAL CHARACTERISTICS

MOVEMENT		CASE	
Type	Hermès mechanical self-winding	Shape/dimensions	Cushion-shaped, 40.5 x 38.4 mm
	movement H1925	Material	316L steel
Power Reserve	45 hours	Crystal	Glare proof sapphire crystal
Jewelling	28 jewels		and case-back
Frequency	28'800 vibrations per hour / 4Hz	Inter-horn width	21 mm
Decoration	Circular-grained and snailed mainplate, satin-brushed bridges	Water-resistance	To 5 atm
	and oscillating weight adorned with the special Hermès decoration	DIAL	Opaline silvered dial with vertical central guilloché motif,
	(H symbols)		black-gold stamped Arabic numerals,
Diameter	26 mm (11 ½''')		diamond-polished black-gold
Thickness	3.7 mm		hour-marker at 6 o'colck,
Functions	Hours, minutes, GMT, «time veiled»		black-gold hands coated with
	function, push-button integrated to		Superluminova
	the crown serving to unveil the hour		•
	hand and the GMT window,	BUCKLE	17 mm safety folding clasp in steel
	pushpiece at 9 o'clock serving to set		
	the GMT	STRAP	Matt havana alligator
MECHANISM	"Time veiled" mechanism	EDITION	Limited to 1'000 pieces
Diameter	32.5 mm		
Thickness	2.7 mm	REFERENCES	040634WW00

For more information: www.press.montre-hermes.ch